

LED GLS

WOJ+14488



See
more

LED source LED GLS 20 W with E-27 base and with the shape of a traditional light bulb. It is characterised by a high light efficacy 115 lm/W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier



Power	20 W	Voltage	230 V
Luminous flux**	2300 lm (360°)	Colour temperature	3000 K
Colour of light	WW	Beam angle	160 °
Socket	E27	Degree of protection (IP)	IP20

Technical data

Code	W0J+14488
Power	20 W
Nominal current	165 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	20 kWh/1000h
Frequency	50HZ Hz
Power factor	0,5
Useful luminous flux*	2300 lm (360°)
Luminous flux**	2300 lm (360°)
Lamp efficacy	115 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	160 °
RA	>80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 to +40 °
Lifespan	17000 h
Socket	E27
Degree of protection (IP)	IP20
Dimension (AxBxC)	65x132 mm
For use	Inside
Made in	PRC

Related documents



 Declaration of Conformity

